

GPC8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation

Chemical name GPC8
Product-type Mixture
Product code R051 EV - Agricultural Hygiene
UFI: QKT2-2G8Y-RU4Q-5A8D

SDS also conforms with UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses - General Glutaraldehyde and Quaternary Ammonium Disinfectant for animal hygiene.

1.3 - Details of the supplier of the safety data sheet

UK Supplier: Evans Vanodine International plc,
Brierley Road, Walton Summit, Preston, UK. PR5 8AH

Telephone : +44 (0) 1772 322 200
Website www.evansvanodine.co.uk
Evans E-Mail: productcompliance@evansvanodine.co.uk

Distributor

EU Supplier: Evans Vanodine Europe (FR), 3 Boulevard de Belfort, 1st Floor, Lille, 59000, France.
Tel: +33 (0)3 76 04 21 87

1.4 - Emergency telephone number

- For Health Care Professionals only:
For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166 – 8am to 10pm every day).
For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112.
For use in UK: Contact the National Poisons Information Service for further advice. United Kingdom

New Safety Data Sheets - +44 (0) 1772 322 200 - Mon to Thu 8:30am to 4:30pm and Fri 8:30am to 1:30pm.
(Also available 24 hours a day on our website www.evansvanodine.co.uk)
For technical advice on this Safety Data Sheet - +44 (0) 1772 318 818 - Mon to Thu 8:00am to 5:30pm.

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 Oral	Acute toxicity (oral) - Category 4
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Sens. 1	Skin sensitization - Category 1
Eye Dam. 1	Serious eye damage, Category 1
Acute Tox. 2 Inhalation	Acute toxicity (inhalative) - Category 2
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Aquatic Acute 1	Hazardous to the aquatic environment - Aquatic Acute 1

2.2 - Label elements

GPC8

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: glutaralglutaraldehyde1,5-pentanedial

Signal word : Danger

Hazard pictograms



Hazard statements

H330	Fatal if inhaled.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.

Precautionary statements

P261	Avoid breathing spray/vapours.
P280	Wear eye protection/face protection/protective clothing/protective gloves.
P270	Do not eat, drink or smoke when using this product.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P315	Get immediate medical advice/attention.
P501	Dispose of container/contents in accordance with local regulation.
P102	Keep out of reach of children.
EUH-phrases	: None

2.3 - Other hazards

PBT substances

vPvB substances

- This product does not contain any substances classified as PBT or vPvB.
- This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other hazards which do not result in classification - Should also be H412 Harmful to aquatic life with long lasting effects.
- Keep away from other chemicals especially chlorine releasing bleaches as toxic gas will be evolved.

SECTION 3: Composition / information on ingredients

GPC8

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No.	%	Class(es)	Information on the substance
glutaralglutaraldehyde1,5-pentanedial	CAS No. : 111-30-8 Index No. : 605-022-00-X EC No. : 203-856-5 REACH No. : 01-2119455549-2-xxxx	10 - 15	Acute Tox. 2 Inhalation - H330 Acute Tox. 3 Oral - H301 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411 Resp. Sens. 1 - H334 Skin Corr. 1B - H314 Skin Sens. 1A - H317 STOT SE 3 - H335 EUH071	STOT SE 3 - H335 : 0.5<= $\%$ <5 M-factor: 1 (a) (b)
C12-15 Alcohol Ethoxylate (7EO)	CAS No. : 68131-39-5 (Alt 157627-86-6) Index No. : EC No. : REACH No. : Exempt	5 - 10	Acute Tox. 4 Oral - H302 Aquatic Acute 1 - H400 Eye Dam. 1 - H318	M-factor: 1 ATE oral 301 (a)
didecyldimethylammonium chloride	CAS No. : 7173-51-5 Index No. : 612-131-00-6 EC No. : 230-525-2 REACH No. : 01-2119945987-15-xxxx	3 - 5	Acute Tox. 4 Oral - H302 Skin Corr. 1B - H314	(a)
propan-2-ol, isopropyl alcohol, isopropanol	CAS No. : 67-63-0 Index No. : 603-117-00-0 EC No. : 200-661-7 REACH No. : 01-2119457558-25-xxxx	1 - 3	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 - H336	(a) (b)
phosphoric acid	CAS No. : 7664-38-2 Index No. : 015-011-00-6 EC No. : 231-633-2 REACH No. : 01-2119485924-24-xxxx	0.1 - 1	Acute Tox. 4 Oral - H302 Eye Dam. 1 - H318 Met. Corr. 1 - H290 Skin Corr. 1B - H314	Skin Corr. 1B - H314 : 25<= $\%$ <=100 Skin Irrit. 2 - H315 : 10<= $\%$ <25 Eye Irrit. 2 - H319 : 10<= $\%$ <25 Eye Dam. 1 - H318 : 25<= $\%$ <=100 (a)

(a) Substance contributing to the classification

(b) Substance with exposure limite value

SECTION 4: First aid measures

4.1 - Description of first aid measures

<u>Following inhalation</u>	- Remove casualty to fresh air and keep warm and at rest. - Seek medical advice immediately.
<u>Following skin contact</u>	- Wash immediately with:Water - Get medical attention promptly if symptoms occur after washing.
<u>After eye contact</u>	- Rinse immediately with plenty of water. Remove any contact lenses, if present and easy to do, continue to rinse with eyelids apart. Get medical attention immediately.
<u>After ingestion</u>	- Do NOT induce vomiting. - Rinse mouth thoroughly with water. - Give plenty of water to drink. Get medical attention immediately.

4.2 - Most important symptoms and effects, both acute and delayed

GPC8

<u>Symptoms and effects - Following inhalation</u>	- Irritation of nose, throat and airway - Coughing, chest tightness, feeling of chest pressure.
<u>Symptoms and effects - Following skin contact</u>	- Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
<u>Symptoms and effects - After eye contact</u>	- Severe eye irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.
<u>Symptoms and effects - After ingestion</u>	- May cause chemical burns in mouth and throat. - Harmful if swallowed. May cause stomach pain or vomiting.

4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.
- General information: The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

SECTION 5: Firefighting measures

5.1 - Extinguishing media

<u>Suitable extinguishing media</u>	- The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
<u>Unsuitable extinguishing media</u>	- None

5.2 - Special hazards arising from the substance or mixture

<u>Special hazards arising from the substance or mixture</u>	- Thermal decomposition or combustion products may include the following substances: - Toxic gases or vapours.
--	---

5.3 - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.
- Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

<u>For non-emergency personnel</u>	- Use personal protection equipment. - See section 8.2 - Wear protective clothing, gloves, eye and face protection. - Use appropriate respiratory protection.
------------------------------------	--

6.2 - Environmental precautions

- Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3 - Methods and material for containment and cleaning up

<u>Methods and material for cleaning up</u>	- Small Spillages: Flush away spillage with plenty of water to drain.
---	---

GPC8

- Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

6.4 - Reference to other sections

- Disposal: See section 13
- Personal protection equipment: see section 8
- Safe handling: See section 7

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

- Recommendation
- Wear personal protective clothing (see section 8).
 - Wear Respiratory protection compliant with EN 141 (A2 B2 E2 K2 Hg-p3).

7.2 - Conditions for safe storage, including any incompatibilities

- Keep/store only in original container.
- Keep container tightly closed in a cool, well-ventilated place.
- Store away from the following materials:
- Oxidising materials.
- (eg Hypochlorite / Bleach)
- Alkalis.

7.3 - Specific end use(s)

- See section 1.2 of the SDS.
- See Product Information Sheet and Label for detailed use of this product.

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

phosphoric acid (7664-38-2)	
TWA EH40 mg/m ³ (UK)	1 mg/m ³
STEL EH40 mg/m ³ (UK)	2 mg/m ³
glutaraldehyde1,5-pentanedial (111-30-8)	
TWA EH40 ppm (UK)	0.05 ppm
TWA EH40 mg/m ³ (UK)	0.2 mg/m ³
STEL EH40 ppm (UK)	0.05 ppm
STEL EH40 mg/m ³ (UK)	0.2 mg/m ³
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
TWA EH40 ppm (UK)	400 ppm
TWA EH40 mg/m ³ (UK)	999 mg/m ³
STEL EH40 ppm (UK)	500 ppm
STEL EH40 mg/m ³ (UK)	1250 mg/m ³

8.2 - Exposure controls

- Appropriate engineering controls
- All handling should only take place in well-ventilated areas.

GPC8

Individual protection measures, such as personal protective equipment

- Eye protection
- Wear a face shield.
- Chemical splash goggles or face shield.
- Wear protective gloves.
- Acid-resistant chemical gloves to standard EN 374. eg Polyvinyl chloride (PVC). The acid chemical penetration resistance time, of the gloves, should exceed the duration of use.
- -
- Wear protective clothing.
- Wear appropriate clothing to prevent any possibility of skin contact.
- Wear Respiratory protection compliant with EN 141 (A2 B2 E2 K2 Hg-p3).
- Suitable respiratory protection apparatus: Respiratory protection helmet/hood



SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

<u>Physical state</u>	Liquid	<u>Appearance</u>	Thin liquid
<u>Colour</u>	orange	<u>Odour</u>	pungent
Odour threshold	No data available		
pH	1.7		
Melting point	-2 °C		
Freezing point	No data available		
Boiling point	101 °C		
Flash point	Not applicable		
Evaporation rate	No data available		
flammability	Not applicable		
Lower explosion limit	Not applicable		
Upper explosion limit	Not applicable		

GPC8

Vapour pressure	16.85 mmHg @ 20°C
Vapour density	No data available
Relative density	No data available
Density	1.026
Solubility (Water)	Soluble
Solubility (Ethanol)	No data available
Solubility (Acetone)	No data available
Solubility (Organic solvents)	No data available
Log KOC	Not applicable Partition coefficient n-octanol/water (Log value)
Auto-ignition temperature	Not applicable
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

Particle characteristics

Particle size	Not applicable
Dustiness	No data available
Specific surface area	No data available
Shape	No data available

9.2 - Other information

VOC content	1.94 %
Minimum ignition energy	No data available
Conductivity	No data available
Refractive index	No data available
Solids content	No data available
Surface tension	No data available
Saturation concentration	No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- Reactions with the following materials may generate heat:
- Strong alkalis.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- Avoid heat >30°C.

10.5 - Incompatible materials

- Strong alkali.
- Chlorine releasing materials will liberate toxic Chlorine gas.

GPC8

- Strong oxidizing agents

10.6 - Hazardous decomposition products

- When heated, vapours/gases hazardous to health may be formed.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Acute toxicity (oral) - Category 4 - Harmful if swallowed.
- Acute toxicity (inhalative) - Category 2 - Fatal if inhaled.

Toxicity : Mixture

ATE oral : 611.06 ATE dermal : - ATE Inhalation Dust/Mist : -
ATE Inhalation Vapor : 3.93 ATE Inhalation Gas : -

LD50 oral (rat)	Not applicable
LD50 dermal (rat)	Not applicable
LD50 dermal (rabbit)	Not applicable
LC50 inhalation gas (rat)	Not applicable
LC50 inhalation dusts and mists (rat)	Not applicable
LC50 inhalation vapours (rat)	Not applicable

- The classification criteria have been met.
- The evaluation was carried out according to the calculation method.
- No animal testing has been carried out for this product. Any ATE figures quoted are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Skin corrosion/irritation - Skin corrosion, Category 1B - Causes severe skin burns and eye damage.

- Causes severe burns.
- The evaluation was carried out according to the calculation method.

Serious eye damage/eye irritation - Serious eye damage, Category 1

- Causes serious eye damage.
- The evaluation was carried out according to the calculation method.

Respiratory or skin sensitisation - Sensitisation — Respiratory, category 1 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Skin sensitization - Category 1 - May cause an allergic skin reaction.

- The evaluation was carried out according to the calculation method.

Germ cell mutagenicity - Not classified

Carcinogenicity - Not classified

Reproductive toxicity - Not classified

STOT-single exposure - Not classified

- The evaluation was carried out according to the calculation method.

STOT-repeated exposure - Not classified

GPC8

Aspiration hazard - Not classified

11.2 - Information on other hazards

- None known.
- 11.2.1 Endocrine disrupting properties - None known.

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
EL50 48 hr crustacea	No data available
LL50 96 hr fish	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

- Very toxic to aquatic life.
- Harmful to aquatic life with long lasting effects.
- Ecotoxicity: Potentially hazardous due to the acidity of the product.
- No Aquatic testing carried out, therefore no Aquatic Toxicity Data available specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations No 648/2004 (as amended). and UK Regulation: SI 2020 No. 1617 "The Detergents (Amendment) (EU Exit) Regulations 2020".

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	Not applicable Partition coefficient n-octanol/water (Log value)

- There is no bioaccumulating substance in the product.

12.4 - Mobility in soil

- No data available.

12.5 - Results of PBT and vPvB assessment

- This product does not contain any substances classified as PBT or vPvB.

GPC8

- This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

12.6 - Endocrine disrupting properties

- This product does not contain any substances that are identified as having endocrine disrupting properties.

12.7 - Other adverse effects

- None

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

Waste treatment methods : Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

14.1 - UN number or ID number

UN number (ADR) : UN3265

UN number (RID) : UN3265

UN number (IMDG) : UN3265

14.2 - UN proper shipping name

UN proper shipping name (ADR) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (glutaralglutaraldehyde1,5-pentanedial)

UN proper shipping name (RID) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (glutaralglutaraldehyde1,5-pentanedial)


UN proper shipping name (IMDG) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (glutaralglutaraldehyde1,5-pentanedial)

14.3 - Transport hazard class(es)

ADR Transport hazard class(es) : 8


ADR Classification code: : C3

Pictograms



Transport hazard class(es) (RID) : 8

Pictograms




Transport hazard class(es) : 8

GPC8

(IMDG)

Pictograms



14.4 - Packing group

<u>Packing group</u>	:	II
<u>Packing group (RID)</u>	:	II
<u>Packing group (IMDG)</u>	:	II

14.5 - Environmental hazards

<u>Environmental hazards</u>	:	Yes.
<u>Marine pollutant</u>	:	Hazardous to the aquatic environment - Aquatic Acute 1

14.6 - Special precautions for user

ADR

<u>ADR Classification code:</u>	:	C3
<u>ADR Special provisions</u>	:	274
<u>ADR Limited quantity (LQ)</u>	:	1L
<u>ADR Excepted quantities</u>	:	E2
<u>ADR Packing instructions</u>	:	P001 IBC02
<u>ADR Special packing provisions</u>	:	
<u>ADR Mixed packing provisions</u>	:	MP15
<u>Instructions for portable tanks and bulk containers</u>	:	T11
<u>Special provisions for portable tanks and bulk containers</u>	:	TP2 TP27
<u>ADR tank code</u>	:	L4BN
<u>ADR tanks special provisions</u>	:	
<u>Vehicle for tank carriage</u>	:	AT
<u>ADR Transport category</u>	:	2
<u>ADR Tunnel restriction code</u>	:	E
<u>ADR Special provisions loading, unloading and handling</u>	:	
<u>Special provisions - Packages</u>	:	
<u>Special provisions - Bulk</u>	:	
<u>Special provisions - Operation</u>	:	
<u>ADR Hazard identification number (Kemler No.)</u>	:	80

RID

<u>Special provisions</u>	:	
<u>Limited quantity (LQ)</u>	:	
<u>Excepted quantities</u>	:	

GPC8

IMDG

<u>Special provisions</u>	:	274
<u>Limited quantity (LQ)</u>	:	1 L
<u>Excepted quantities</u>	:	E2
<u>Packing instructions</u>	:	P001
<u>Special packing provisions</u>	:	
<u>IBC instruction(s)</u>	:	IBC02
<u>IBC provisions</u>	:	
<u>Instructions for portable tanks and bulk containers</u>	:	T11
<u>Special provisions for portable tanks and bulk containers</u>	:	TP2 TP27
<u>EmS codes</u>	:	F-A, S-B
<u>Stowage and handling</u>	:	Category B SW2
<u>Segregation</u>	:	SGG1 SG36 SG49
<u>Properties and observations</u>	:	Causes burns to skin, eyes and mucous membranes.

14.7 - Maritime transport in bulk according to IMO instruments

- Not relevant for a packaged product.

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Substances REACH candidates</u>	glutaraldehyde, 1,5-pentanedial (Index No.: 605-022-00-X - EC No.: 203-856-5 - CAS No.: 111-30-8)
<u>Substances Annex XIV</u>	None
<u>Substances Annex XVII</u>	None

VOC content 1.94 %

- Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".

- The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".

- Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

- The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations No 648/2004 (as amended). and UK Regulation: SI 2020 No. 1617 "The Detergents (Amendment) (EU Exit) Regulations 2020"

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

SDS versions

GPC8

Version	Issue date	Author	Description of the amendments
14	01/04/2026		SDS prepared on new SDS software. - No change in Product Classification.

Abbreviations and acronyms

- ADR: The Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE: Acute Toxicity Estimate.
- LC50: Lethal Concentration to 50 % of a test animals.
- LOEC: Lowest Observed Effect Concentration.
- LD50: Lethal Dose to 50% of a test animals.
- LOEL: Lowest Observed Adverse Effect Level.
- DNEL: Derived no-effect level.
- EC50: Effective concentration of the substance that causes adverse effects in 50% of test animals.
- IATA: International Air Transport Association.
- IMDG: International Maritime Dangerous Goods.
- EC No: European Community number
- NOEC: No Observed Effect Concentration.
- NOEL: No observable effect level.
- CAS No.: Chemical Abstracts Service number.
- ICAO: International Civil Aviation Organization
- PBT: Persistent, Bioaccumulative and Toxic.
- PNEC: Predicted no-effect concentration.
- RID: International Carriage of Dangerous Goods by Rail.
- STEL: Short-term exposure limit
- TWA: Time weighted average
- OEL: Occupational exposure limit.
- vPvB: very Persistent and very Bioaccumulative.
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals.

Data sources:

CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Material Safety Data Sheet, Miscellaneous manufacturers.

Evaluation methods

For Methods used for Classification: See sections 11.1 for Health & 12.1 for Environmental.

Texts of the regulatory sentences

Acute Tox. 2 Inhalation	Acute toxicity (inhalative) - Category 2
Acute Tox. 3 Oral	Acute toxicity (oral) - Category 3
Acute Tox. 4 Oral	Acute toxicity (oral) - Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Aquatic Acute 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation - Category 2
Flam. Liq. 2	Flammable liquid and vapour. - Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.

GPC8

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals - Category 1
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Sens. 1	Skin sensitization - Category 1
Skin Sens. 1A	Skin sensitization - Category 1A
STOT SE 3	STOT-single exposure - Category 3 (H335)

*** **