

METRON

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation

Chemical name METRON

Product-type Mixture

Product code R054 EV - Agricultural Hygiene

UFI: TFWG-516C-HG0T-7403

SDS also conforms with UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

- Alkaline & Chlorine based Powdered Cleaner for milk pipelines and parlours.

1.3 - Details of the supplier of the safety data sheet

UK Supplier: Evans Vanodine International plc,
Brierley Road, Walton Summit, Preston, UK. PR5 8AH

Telephone : +44 (0) 1772 322 200

Website www.evansvanodine.co.uk

Evans: productcompliance@evansvanodine.co.uk

Distributor

EU Supplier: Evans Vanodine Europe (FR), 3 Boulevard de Belfort, 1st Floor, Lille, 59000, France.

Tel: +33 (0)3 76 04 21 87

1.4 - Emergency telephone number

- For Health Care Professionals only:

For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166 – 8am to 10pm every day).

For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112.

For use in UK: Contact the National Poisons Information Service for further advice. United Kingdom

New Safety Data Sheets - +44 (0) 1772 322 200 - Mon to Thu 8:30am to 4:30pm and Fri 8:30am to 1:30pm.

(Also available 24 hours a day on our website www.evansvanodine.co.uk)

For technical advice on this Safety Data Sheet - +44 (0) 1772 318 818 - Mon to Thu 8:00am to 5:30pm.

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Corr. 1A	Skin corrosion, Category 1A
Eye Dam. 1	Serious eye damage, Category 1
STOT SE 3	STOT-single exposure - Category 3 (H335)
Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: sodium hydroxide {caustic soda} | Disodium Metasilicate {Disodium trioxosilicate} | troclosene sodium, dihydrate {Sodium Dichloroisocyanurate Dihydrate}

METRON

Signal word : Danger

Hazard pictograms



Hazard statements

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P260	Do not breathe dust.
P280	Wear eye protection/face protection/protective clothing/protective gloves.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P315	Get immediate medical advice/attention.
P501	Dispose of container/contents in accordance with local regulation.
P235	Keep cool.
P410	Protect from sunlight.
P402+P404	Store in a dry place. Store in a closed container.
P102	Keep out of reach of children.

EUH-phrases

EUH031	Contact with acids liberates toxic gas.
--------	---

2.3 - Other hazards

PBT substances

vPvB substances

- This product does not contain any substances classified as PBT or vPvB.
- This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

METRON

Chemical name	No.	%	Class(es)	Information on the substance
sodium carbonate	CAS No. : 497-19-8 Index No. : 011-005-00-2 EC No. : 207-838-8 REACH No. : 01-2119485498-19-xxxx	30 - 40	Eye Irrit. 2 - H319	(a) (b)
sodium hydroxide {caustic soda}	CAS No. : 1310-73-2 Index No. : 011-002-00-6 EC No. : 215-185-5 REACH No. : 01-2119457892-27-xxxx	25 - 30	Skin Corr. 1A - H314	Skin Corr. 1A - H314 : 5<=%<=100 Skin Corr. 1B - H314 : 2<=%<5 Skin Irrit. 2 - H315 : 0.5<=%<2 Eye Irrit. 2 - H319 : 0.5<=%<2 (a) (b)
Disodium Metasilicate {Disodium trioxosilicate}	CAS No. : 6834-92-0 Index No. : 014-010-00-8 EC No. : 229-912-9 REACH No. : 01-2119449811-3-xxxx	25 - 30	Skin Corr. 1B - H314 STOT SE 3 - H335	(a)
troclosene sodium, dihydrate {Sodium Dichloroisocyanurate Dihydrate}	CAS No. : 51580-86-0 Index No. : 613-030-01-7 EC No. : 220-767-7	5 - 10	Acute Tox. 4 Oral - H302 Aquatic Chronic 1 - H410 Eye Irrit. 2 - H319 STOT SE 3 - H335 EUH031	ATE oral 735 (a)

(a) Substance contributing to the classification

(b) Substance with exposure limite value

SECTION 4: First aid measures

4.1 - Description of first aid measures

<u>Following inhalation</u>	- Remove casualty to fresh air and keep warm and at rest. - Get medical attention if any discomfort continues.
<u>Following skin contact</u>	- Wash immediately with:Water - Get medical attention promptly if symptoms occur after washing.
<u>After eye contact</u>	- Rinse immediately with plenty of water. Remove any contact lenses, if present and easy to do, continue to rinse with eyelids apart. Get medical attention immediately.
<u>After ingestion</u>	- Do NOT induce vomiting. - Rinse mouth thoroughly with water. - Give plenty of water to drink. Get medical attention immediately.

4.2 - Most important symptoms and effects, both acute and delayed

<u>Symptoms and effects - Following inhalation</u>	- Irritation of nose, throat and airway
<u>Symptoms and effects - Following skin contact</u>	- Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
<u>Symptoms and effects - After eye contact</u>	- Severe eye irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.
<u>Symptoms and effects - After ingestion</u>	- May cause chemical burns in mouth and throat.

4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.

METRON

- General information: The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

SECTION 5: Firefighting measures

5.1 - Extinguishing media

Suitable extinguishing media - The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media - None

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture - Thermal decomposition or combustion products may include the following substances:
- Irritating gases or vapours.

5.3 - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.
- Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel - Use personal protection equipment.
- See section 8.2
- Wear protective clothing, gloves, eye and face protection.
- Avoid inhalation of dust.

6.2 - Environmental precautions

- This product is dangerous for the environment:
- Toxic to aquatic life with long lasting effects.
- Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3 - Methods and material for containment and cleaning up

Methods and material for cleaning up - Small Spillages: Flush away spillage with plenty of water to drain.

- Large Spillages: Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into suitable waste disposal containers and seal securely.

6.4 - Reference to other sections

- Disposal: See section 13
- Personal protection equipment: see section 8
- Safe handling: See section 7

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

METRON

Recommendation

- Wear personal protective clothing (see section 8).
- Avoid inhalation of dust.
- Never add water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by carefully pouring the product into water.
- DO NOT mix with other chemicals.
- Contact with acids liberates toxic gas.

7.2 - Conditions for safe storage, including any incompatibilities

- Keep/store only in original container.
- Keep container tightly closed in a cool, well-ventilated place.
- Store away from the following materials:
- Acids.

7.3 - Specific end use(s)

- See section 1.2 of the SDS.
- See Product Information Sheet and Label for detailed use of this product.

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

sodium hydroxide {caustic soda} (1310-73-2)	
IOELV STEL mg/m ³ (UE)	2 mg/m ³
STEL EH40 mg/m ³ (UK)	2 mg/m ³
sodium carbonate (497-19-8)	
IOELV TWA mg/m ³ (UE)	5 mg/m ³
TWA EH40 mg/m ³ (UK)	5 mg/m ³

8.2 - Exposure controls

Appropriate engineering controls

- Not relevant.

Individual protection measures, such as personal protective equipment

- Eye protection
- Wear a face shield.
- Chemical splash goggles or face shield.
- Wear protective gloves.
- Polyvinyl chloride (PVC).
- Wear appropriate clothing to prevent any possibility of skin contact.
- Respiratory protection not required.



METRON

SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

<u>Physical state</u>	Solid	<u>Appearance</u>	Powder
<u>Colour</u>	White	<u>Odour</u>	Faint Chlorine
Odour threshold		No data available	
pH		(diluted solution): 12.0 @ 150g/40L	
Melting point		Not applicable	
Freezing point		No data available	
Boiling point		Not applicable	
Flash point		Not applicable	
Evaporation rate		No data available	
flammability		Not applicable	
Lower explosion limit		Not applicable	
Upper explosion limit		Not applicable	
Vapour pressure		No data available	
Vapour density		No data available	
Relative density		Not applicable	
Density		No data available	
Solubility (Water)		Soluble	
Solubility (Ethanol)		No data available	
Solubility (Acetone)		No data available	
Solubility (Organic solvents)		No data available	
Log KOC		Not applicable Partition coefficient n-octanol/water (Log value)	
Auto-ignition temperature		Not applicable	
Decomposition temperature		No data available	
Kinematic viscosity		No data available	
Dynamic viscosity		No data available	

Particle characteristics

Particle size	Not applicable
Dustiness	Not applicable
Specific surface area	Not applicable
Shape	Not applicable

9.2 - Other information

VOC content	0 %
Minimum ignition energy	No data available
Conductivity	No data available
Refractive index	No data available
Solids content	No data available
Surface tension	No data available
Saturation concentration	No data available

SECTION 10: Stability and reactivity

METRON

10.1 - Reactivity

- Reactions with the following materials may generate heat:
- Strong acids.
- Generates toxic gas in contact with acid.
- This product reacts with water and will generate heat.
- This product will harden into a solid mass in contact with water / moisture.

10.2 - Chemical stability

- No particular stability concerns.

10.3 - Possibility of hazardous reactions

- See sections 10.1, 10.4 & 10.5

10.4 - Conditions to avoid

- Avoid exposure to high temperatures or direct sunlight.
- The product will harden into a solid mass in contact with water or moisture.

10.5 - Incompatible materials

- Strong acids.
- Aluminium, Tin, Zinc and their alloys.

10.6 - Hazardous decomposition products

- Toxic chlorine gas can be released if heated.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

Toxicity : Mixture

ATE oral : 14700

ATE dermal : -

ATE Inhalation Dust/Mist : -

ATE Inhalation Vapor : -

ATE Inhalation Gas : -

LD50 oral (rat)	Not applicable
LD50 dermal (rat)	Not applicable
LD50 dermal (rabbit)	Not applicable
LC50 inhalation gas (rat)	Not applicable
LC50 inhalation dusts and mists (rat)	Not applicable
LC50 inhalation vapours (rat)	Not applicable

- Oral ATE being >2000 = Not classified.
- Based on available data, the classification criteria are not met.
- The evaluation was carried out according to the calculation method.
- No animal testing has been carried out for this product. Any ATE figures quoted are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Skin corrosion/irritation - Skin corrosion, Category 1A - Causes severe skin burns and eye damage.

METRON

	- Causes severe burns. - The evaluation was carried out according to the calculation method.
<u>Serious eye damage/eye irritation</u>	- Serious eye damage, Category 1
	- Causes serious eye damage. - The evaluation was carried out according to the calculation method.
<u>Respiratory or skin sensitisation</u>	- Not classified
<u>Germ cell mutagenicity</u>	- Not classified
<u>Carcinogenicity</u>	- Not classified
<u>Reproductive toxicity</u>	- Not classified
<u>STOT-single exposure</u>	- STOT-single exposure - Category 3 (H335) - May cause respiratory irritation. - The evaluation was carried out according to the calculation method.
<u>STOT-repeated exposure</u>	- Not classified
<u>Aspiration hazard</u>	- Not classified

11.2 - Information on other hazards

- None known.
- 11.2.1 Endocrine disrupting properties - None known.

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

- Toxic to aquatic life with long lasting effects.
- The evaluation was carried out according to the calculation method.
- No Aquatic testing carried out, therefore no Aquatic Toxicity Data available specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
- Ecotoxicity: Potentially hazardous due to the alkalinity of the product.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

METRON

- Chlorine rapidly degrades to Sodium Chloride by chemical reaction with organic matter in effluent.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	Not applicable Partition coefficient n-octanol/water (Log value)

- There is no bioaccumulating substance in the product.

12.4 - Mobility in soil

- No data available.

12.5 - Results of PBT and vPvB assessment

- This product does not contain any substances classified as PBT or vPvB.
- This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

12.6 - Endocrine disrupting properties

- This product does not contain any substances that are identified as having endocrine disrupting properties.

12.7 - Other adverse effects

- None

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

Waste treatment methods : Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

14.1 - UN number or ID number

UN number (ADR) : UN3262
UN number (RID) : UN3262
UN number (IMDG) : UN1719

14.2 - UN proper shipping name


UN proper shipping name (ADR) : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
UN proper shipping name (RID) : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
UN proper shipping name (IMDG) : CAUSTIC ALKALI LIQUID, N.O.S.

14.3 - Transport hazard class(es)

ADR Transport hazard class(es) : 8
ADR Classification code: : C6


METRON

Pictograms




Transport hazard class(es) : 8
(RID)

Pictograms



Transport hazard class(es) : 8
(IMDG)

Pictograms



14.4 - Packing group

Packing group : II
Packing group (RID) : II
Packing group (IMDG) : II

14.5 - Environmental hazards

Environmental hazards : Yes.
Marine pollutant : Hazardous to the aquatic environment - Aquatic Chronic 2

14.6 - Special precautions for user

METRON

ADR

<u>ADR Classification code:</u>	:	C6
<u>ADR Special provisions</u>	:	274
<u>ADR Limited quantity (LQ)</u>	:	1kg
<u>ADR Excepted quantities</u>	:	E2
<u>ADR Packing instructions</u>	:	P002 IBC08
<u>ADR Special packing provisions</u>	:	B4
<u>ADR Mixed packing provisions</u>	:	MP10
<u>Instructions for portable tanks and bulk containers</u>	:	T3
<u>Special provisions for portable tanks and bulk containers</u>	:	TP33
<u>ADR tank code</u>	:	SGAN L4BN
<u>ADR tanks special provisions</u>	:	
<u>Vehicle for tank carriage</u>	:	AT
<u>ADR Transport category</u>	:	2
<u>ADR Tunnel restriction code</u>	:	E
<u>ADR Special provisions loading, unloading and handling</u>	:	
<u>Special provisions - Packages</u>	:	V11
<u>Special provisions - Bulk</u>	:	
<u>Special provisions - Operation</u>	:	
<u>ADR Hazard identification number (Kemler No.)</u>	:	80

RID

<u>Special provisions</u>	:
<u>Limited quantity (LQ)</u>	:
<u>Excepted quantities</u>	:

IMDG

<u>Special provisions</u>	:	274
<u>Limited quantity (LQ)</u>	:	1 L
<u>Excepted quantities</u>	:	E2
<u>Packing instructions</u>	:	P001
<u>Special packing provisions</u>	:	
<u>IBC instruction(s)</u>	:	IBC02
<u>IBC provisions</u>	:	
<u>Instructions for portable tanks and bulk containers</u>	:	T11
<u>Special provisions for portable tanks and bulk containers</u>	:	TP2 TP27
<u>EmS codes</u>	:	F-A, S-B
<u>Stowage and handling</u>	:	Category A
<u>Segregation</u>	:	SGG18 SG22 SG35
<u>Properties and observations</u>	:	Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes.

14.7 - Maritime transport in bulk according to IMO instruments

- Not relevant for a packaged product.

SECTION 15: Regulatory information

METRON

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH candidates None

Substances Annex XIV None

Substances Annex XVII None

VOC content 0 %

- Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".

- The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".

- Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

- This product does not contain any surfactants.

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

SDS versions

Version	Issue date	Author	Description of the amendments
15	01/04/2026		SDS prepared on new SDS software. - No change in Product Classification.

Abbreviations and acronyms

- ADR: The Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE: Acute Toxicity Estimate.
- LC50: Lethal Concentration to 50 % of a test animals.
- LOEC: Lowest Observed Effect Concentration.
- LD50: Lethal Dose to 50% of a test animals.
- LOEL: Lowest Observed Adverse Effect Level.
- DNEL: Derived no-effect level.
- EC50: Effective concentration of the substance that causes adverse effects in 50% of test animals.
- IATA: International Air Transport Association.
- IMDG: International Maritime Dangerous Goods.
- EC No: European Community number
- NOEC: No Observed Effect Concentration.
- NOEL: No observable effect level.
- CAS No.: Chemical Abstracts Service number.
- ICAO: International Civil Aviation Organization
- PBT: Persistent, Bioaccumulative and Toxic.
- PNEC: Predicted no-effect concentration.
- RID: International Carriage of Dangerous Goods by Rail.

METRON

- STEL: Short-term exposure limit
- TWA: Time weighted average
- OEL: Occupational exposure limit.
- vPvB: very Persistent and very Bioaccumulative.
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals.

Data sources:

CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Material Safety Data Sheet, Miscellaneous manufacturers.

Evaluation methods

For Methods used for Classification: See sections 11.1 for Health & 12.1 for Environmental.

Texts of the regulatory sentences

Acute Tox. 4 Oral	Acute toxicity (oral) - Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment - Aquatic Chronic 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation - Category 2
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Corr. 1B	Skin corrosion, Category 1B
STOT SE 3	STOT-single exposure - Category 3 (H335)

*** **