

# PRO-DIS CIP

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 14/04/2017 Revision date: 05/06/2015 Version: 10.0

PRO-DIS CIP **FH54** 

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Product form : Mixture : PRO-DIS CIP Product name Product code : FH54

Type of product : Technical product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

: Disinfectant. Use of the substance/mixture

#### 1.2.2. Uses advised against

No additional information available

### Details of the supplier of the safety data sheet

SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk

#### **Emergency telephone number**

**Emergency number** : Mon to Fri 8.30am to 5.00pm - 01298 26226

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1A H314 STOT SE 3 H335

Full text of H-phrases: see section 16

#### **Label elements**

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

GHS07

Signal word (CLP)

Hazardous ingredients : acetic acid ... %, hydrogen peroxide solution ... %, peracetic acid ... %

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation

P260 - Do not breathe dust/fume/gas/mist/vapours/spray P264 - Wash ... thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

### Other hazards

No additional information available

Precautionary statements (CLP)

### **SECTION 3: Composition/information on ingredients**

### **Substance**

Not applicable

#### 3.2. **Mixture**

Document generated @ 14/04/2017 13:05:50 Page 1 of 7

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
acetic acid %	(CAS No) 64-19-7 (EC no) 200-580-7 (EC index no) 607-002-00-6	30 - 60	R10 C; R35	Flam. Liq. 3, H226 Skin Corr. 1A, H314
hydrogen peroxide solution %	(CAS No) 7722-84-1 (EC no) 231-765-0 (EC index no) 008-003-00-9	5 - 15	R5 O; R8 C; R35 Xn; R20/22	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 STOT SE 3, H335
peracetic acid %	(CAS No) 79-21-0 (EC no) 201-186-8 (EC index no) 607-094-00-8	5 - 15	R10 O; R7 Xn; R20/21/22 C; R35 N; R50	Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Acute 1, H400

Full text of R- and H-phrases: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it

before reuse.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get

immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Burns.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

Hazardous decomposition products in case of

fire

: Corrosive vapours.

### 5.3. Advice for firefighters

No additional information available

#### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

## 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Document generated @ 14/04/2017 13:05:50 Page 2 of 7

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep container closed when not in use.

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

Incompatible materials : Metals.

Special rules on packaging : Keep only in original container.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Materials for protective clothing : Not required for normal conditions of use

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Not required for normal conditions of use

Respiratory protection : Not required for normal conditions of use





### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, colorless liquid.

Colour : Colourless.
Odour : Pungent.

Odour threshold : No data available

pH : 2,3

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available : No data available Boiling point : No data available Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available : No data available Relative vapour density at 20 °C

Relative density : 1,1

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available

Document generated @ 14/04/2017 13:05:50 Page 3 of 7

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

May intensify fire; oxidiser.

#### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Heat.

### 10.5. Incompatible materials

metals.

### 10.6. Hazardous decomposition products

No additional information available

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 2,3

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 2,3

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

No additional information available

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

Document generated @ 14/04/2017 13:05:50 Page 4 of 7

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 14.1. UN number

UN-No. (ADR) : 3149 UN-No. (IMDG) : 3149 UN-No. (IATA) : 3149

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED
Proper Shipping Name (IMDG) : HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED
Proper Shipping Name (IATA) : HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED

Transport document description (ADR) : UN 3149 HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED, 5.1

(8), II, (E)

Transport document description (IMDG) : UN 3149 HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED, 5.1

(8), II

### 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 5.1 (8)
Danger labels (ADR) : 5.1, 8





#### **IMDG**

Transport hazard class(es) (IMDG) : 5.1 (8)
Danger labels (IMDG) : 5.1, 8





### IATA

Transport hazard class(es) (IATA) : 5.1 (8) Hazard labels (IATA) : 5.1, 8







### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

### - Overland transport

Classification code (ADR) : OC1
Special provisions (ADR) : 196, 553
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Document generated @ 14/04/2017 13:05:50 Page 5 of 7

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

: P504, IBC02 Packing instructions (ADR) Special packing provisions (ADR) : PP10, B5 : MP15 Mixed packing provisions (ADR) Portable tank and bulk container instructions : T7

(ADR)

Portable tank and bulk container special

provisions (ADR)

: TP2, TP6, TP24

Tank code (ADR) : L4BV(+)

Tank special provisions (ADR) : TU3, TC2, TE8, TE11, TT1

Vehicle for tank carriage : AT Transport category (ADR) : 2 Special provisions for carriage - Loading, : CV24

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 58

Orange plates

**58** 

3149

: E Tunnel restriction code (ADR) EAC code : 2P

#### - Transport by sea

Special provisions (IMDG) : 196 Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P504 Special packing provisions (IMDG) : PP10 : IBC02 IBC packing instructions (IMDG) IBC special provisions (IMDG) : B5 Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP2, TP6, TP24

: F-H EmS-No. (Fire) EmS-No. (Spillage) : S-Q Stowage category (IMDG) : D

#### - Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y540 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 550 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 554 CAO max net quantity (IATA) : 5L Special provisions (IATA) : A96 ERG code (IATA) : 5C

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IBC code : Not applicable.

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

#### 15.1.1. **EU-Regulations**

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### 15.1.2. **National regulations**

### Germany

Document generated @ 14/04/2017 13:05:50 Page 6 of 7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex

4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
Org. Perox. D	Organic Peroxides, Type D	
Ox. Liq. 1	Oxidising Liquids, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1A	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H226	Flammable liquid and vapour	
H242	Heating may cause a fire	
H271	May cause fire or explosion; strong oxidiser	
H302	Harmful if swallowed	
H312	Harmful in contact with skin	
H314	Causes severe skin burns and eye damage	
H332	Harmful if inhaled	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	

#### SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Document generated @ 14/04/2017 13:05:50 Page 7 of 7