

Contact™

Ready-to-use liquid iodophor-based pre/post teat disinfectant



Contains a dual-active disinfection source, containing PVP Iodine and a polymeric agent to ensure full and effective coverage of the teat skin.

Passes EN 1656. Rapidly kills bacteria. Effective against mastitis causing organisms.

Highly-visible, dark brown, thickened formulation.

- High levels of blended emollients chosen for their hygroscopic and humectant properties.
- Passes EN 1656, providing protection against environmental bacteria.
- Dual-halogen complex.
- Superb skin conditioning properties which help to reduce cracks and crevices where bacteria may multiply.
- Intense, dark brown colour allows quick and easy identification of effectively dipped or sprayed cows.

DIRECTIONS FOR USE:

Use undiluted. The use of a dosing pump for filling application equipment is recommended. Ensure udder and teats are clean and dry before using this product.

MANUAL DIPPING/FOAMING:

PRE-MILKING: Fill teat cup $\frac{2}{3}$ full with product. Dip the teats of each cow before milking, making sure that the full length of the teat is immersed. Allow at least 60 seconds contact time. Then wipe and dry the teats thoroughly using a single use paper towel. Top up with fresh solution as required. Empty and wash out cups with water after use.

POST-MILKING: Fill teat cup $\frac{2}{3}$ full with product. Dip the teats of each cow immediately after each has been milked, making sure that the full length of the teat is immersed. Top up with fresh solution as required. Empty and wash out cups with water after milking. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the cows standing for at least 5 minutes).

SPRAYING USING AN ELECTRONIC SPRAYER:

PRE-MILKING: Before milking, spray the teats of each cow with product. Ensure the spray covers the entire surface of all teats. Allow at least 60 seconds contact time. Then wipe and dry the teats thoroughly using a single use paper towel.

POST-MILKING: Immediately after milking, spray the teats of each cow with product. Ensure the spray covers the entire surface of all teats. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the cows standing for at least 5 minutes).

After use dispose of unused product, the packaging and any contaminated materials in accordance with local requirements. Used solutions can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an on-site wastewater treatment plant.

25l

Order Code: R043KEV

Pack: 25 litre (27.14 kg)
Pallet: 32 Each

200l

Order Code: R043NEV

Pack: 200 litre (217.42 kg)
Pallet: 4 Each

1000l

Order Code: R043SEV

Pack: 1000 litre (1108 kg)
Each

PRODUCT INFORMATION:

Appearance: Dark brown liquid
Odour: Faint iodine
pH - undiluted: 4.50
Shelf life: 2 year

COMPOSITION: Contains a blend of PVP iodine, iodine, glycerol, sorbitol, nonionic surfactants and film former.

BIODEGRADABILITY: All surfactants used in Evans Vanodine products comply with relevant UK and EU Regulations concerning biodegradability and protection of the environment.

AUTHORISED BIOCIDE:
UK-2019-1187-4-0004

QUALITY ASSURANCE: This product is manufactured in the U.K. by EVANS VANODINE INTERNATIONAL PLC under an ISO 9001 Quality Management System Cert. No. FM 09535 and an ISO 14001 Environmental Management System Cert. No. EMS 506072 registered by the British Standards Institution.

REVISION DATE:
06/03/23



Evans Vanodine International plc
Brierley Road, Walton Summit, Preston, PR5 8AH, UK
Tel: +44 (0)1772 322200



www.evansvanodine.co.uk