

# Allantocare™

## Ready-to-use liquid iodophor-based teat disinfectant



Ready-to-use pre/post milking teat disinfectant.  
Contains superb skin conditioning properties with dual halogen complex.

Contains Allantoin which improves skin condition, heals wounds and sunburn.

Passes EN 1656. Rapidly kills bacteria. Effective against mastitis causing organisms.

- Contains a dual-active disinfection source; including PVP Iodine, as used in hospitals.
- Passes European disinfectant test method EN 1656 with a 15 second contact time.
- Allantoin is keratolytic and is proven in the cosmetic industry to improve skin condition.
- High levels of emollients chosen for their hygroscopic and humectant properties to smooth and soften the skin to reduce cracks and crevices where bacteria may multiply.
- The highly visible dark brown colour shows at a glance which cows have been effectively dipped or sprayed.

#### DIRECTIONS FOR USE:

Use undiluted. The use of a dosing pump for filling application equipment is recommended. Ensure udder and teats are clean and dry before using this product.

#### MANUAL DIPPING/FOAMING:

**PRE-MILKING:** Fill teat cup  $\frac{2}{3}$  full with product. Dip the teats of each cow before milking, making sure that the full length of the teat is immersed. Allow at least 60 seconds contact time. Then wipe and dry the teats thoroughly using a single use paper towel. Top up with fresh solution as required. Empty and wash out cups with water after use.

**POST-MILKING:** Fill teat cup  $\frac{2}{3}$  full with product. Dip the teats of each cow immediately after each has been milked, making sure that the full length of the teat is immersed. Top up with fresh solution as required. Empty and wash out cups with water after milking. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the cows standing for at least 5 minutes).

#### SPRAYING USING AN ELECTRONIC SPRAYER:

**PRE-MILKING:** Before milking, spray the teats of each cow with product. Ensure the spray covers the entire surface of all teats. Allow at least 60 seconds contact time. Then wipe and dry the teats thoroughly using a single use paper towel.

**POST-MILKING:** Immediately after milking, spray the teats of each cow with product. Ensure the spray covers the entire surface of all teats. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the cows standing for at least 5 minutes). After use dispose of unused product, the packaging and any contaminated materials in accordance with local requirements. Used solutions can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an on-site wastewater treatment plant.

200 L

**Order Code: R046NEV**

Pack: 200 litre

1000L

**Order Code: R046SEV**

Pack: 1000 litre

#### PRODUCT INFORMATION:

|                 |                   |
|-----------------|-------------------|
| Appearance:     | Dark brown liquid |
| Odour:          | Faint iodine      |
| pH - undiluted: | 4.50              |
| Shelf life:     | 2 years           |

#### AUTHORISED BIOCIDES:

GB-2019-1187-4-0001 NI-2019-1187-4-0001

#### QUALITY AND ENVIRONMENTAL ASSURANCE:

This product is manufactured in the U.K. by EVANS VANODINE INTERNATIONAL PLC under an ISO 9001 Quality Management System Cert. No. FM 09535 and an ISO 14001 Environmental Management System Cert. No. EMS 506072 registered by the British Standards Institution.

**REVISION DATE:** 22/12/25



Scan here to view safety data information

