Diversey
A SOLENIS COMPANY

TASKI

GO2



Operating instructions

V001/ 12100-72 1525

TRANSLATION OF THE ORIGINAL INSTRUCTIONS

EN

Read the operating instructions carefully before commissioning. Keep these operating instructions with care and at hand for quick reference at any time.

Download PDF:

EC Декларация за съответствие | EU prohlášení o shodě | EUoverensstemmelseserklæring | EU-Konformitätserklärung | EU Declaration of Conformity | Declaración UE de conformidad | ELi vastavusdeklaratsioon | EY-vaatimustenmukaisuusvakuutus | Déclaration UE de conformité | Δήλωση Συμμόρφωσης των ΕΕ | EU izjava o usklađenosti | EU konformitási nyiltakozat | Dichiarazione di conformità UE | ES atitikties deklaracija | ES Atbilstības deklarācija | EU-conformiteitsverklaring | EU-samsvarserklæring | Deklaracja zgodności UE | Declaração UE de conformidade | Declarație UE de conformitate | Заявление о соответствии EU | EÚ Vyhlásenie o zhode | Izjava EU o skladnosti | EU-försäkran om överensstämmelse | AB uygunluk bildirisi | Izjava o usklađenosti sa propisima EU

BG С настоящото декларираме, че цитираната по-долу машина съответства по концепция и конструкция, както и по начин на производство, прилаган от нас, на съответните основни изисквания за техническа безопасност и безвредност на Директивите на ЕС. При изменение на продукта, което не е съгласувано с нас, тази декларация губи своята валидност.

CZ Tímto prohlašujeme, že níže označené stroje odpovídají jejich základní koncepcí a konstrukčním provedením, stejně jako námi do provozu uvedenými konkrétními provedeními, příslušným zásadním požadavkům o bezpečnosti a ochraně zdraví směrnic EU. V případě změny výrobku, která nebyla námi odsouhlasena,ztrácí toto prohlášení svou platnost.

DA Hermed erklærer vi, at den nedenfor nævnte maskine i design og konstruktion og i den af os i handlen bragte udgave overholder de gældende grundlæggende sikkerhedsog sundhedskrav i EU-direktiverne. I tilfælde af ændringer af produktet, som vi ikke har godkendt, bortfalder gyldigheden af denne erklæring.

DE Hiermit erklären wir, dass die nachfolgend bezeichnete Maschine aufgrund ihrer Konzipierung und Bauart sowie in der von uns in Verkehr gebrachten Ausführung den einschlägigen grund-legenden Sicherheits- und Gesundheitsanforderungen der EU-Richtlinien entspricht. Bei einer nicht mit uns abgestimmten Änderung des Produktes verliert diese Erklärung ihre Gültigkeit.

EN We hereby declare that the machine described below complies with the relevant basic safety and health requirements of the EU Directives, both in its basic design and construction as well as in the version put into circulation by us. In the event of a product amendment which was not cleared by us, this declaration shall no longer be valid.

ES Por la presente declaramos que la máquina designada a continuación cumple, tanto en lo que respecta a su diseño y tipo constructivo como a la versión puesta a la venta por nosotros, las normas básicas de seguridad y sobre la salud que figuran en las directivas comunitarias correspondientes. En caso de realizar una modificación no autorizada por nosotros, esta declaración pierde su validez.

ET Käesolevaga kinnitame, et allpool kirjeldatud seade vastab meie poolt turule toodud mudelina oma kontseptsioonilt ja konstruktsioonilt EL direktiivide asjakohastele põhilistele ohutus- ja tervisekaitsenõuetele. Käesolev kinnitus kaotab kehtivuse, kui toodet muudetakse meiega kooskõlastamata.

FI Vakuutamme, että alla mainitut tuotteet vastaavat suunnittelultaan ja rakenteeltaan sekä valmistustavaltaan EU-direktiivien asianomaisia turvallisuus- ja terveysvaatimuksia. Mikäli tuotetta muutetaan ilman meidän antamaa lupaa, tämä ilmoitus lakkaa olemasta voimassa.

FR Nous certifions par la présente que la machine spécifiée ci-après répond de par sa conception et son type de construction ainsi que de par la version que nous avons mise sur le marché aux prescriptions fondamentales stipulées en matière de sécurité et d'hygiène par les directives européennes en vigueur. Cette déclaration perd sa validité si le produit est modifié sans notre consentement.

GR Δια της παρούσης δηλώνουμε ότι το μηχάνημα που χαρακτηρίζεται παρακάτω, με βάση τη σχεδίαση και την κατασκευή του, υπό τη μορφή που διατίθεται στην αγορά, πληροί στις σχετικές βασικές απαιτήσεις ασφαλείας και υγιεινής των οδηγιών της ΕΕ. Σε περίπτωση τροποποίησης του προϊόντος χωρίς τη συγκατάθεσή μας, η παρούσα δήλωση θα καταστεί άκυρη.

HR Izjavljujemo da navedeni uređaj u svojoj zamisli i konstrukciji te kod nas korištenoj izvedbi odgovara osnovnim sigurnosnim i zdravstvenim zahtjevima u skladu s niže navedenim direktivama Europske Zajednice. U slučaju neovlaštene izmjene proizvoda prestaje valjanost ove izjave.

HU Ezennel tanúsítjuk, hogy az alábbiakban megnevezett gép tervezése és építési módja alapján az általunk forgalomba hozott kivitelben megfelel az EU irányelvek vonatkozó, alapvető biztonsági és egészségügyi követelményeinek. Amennyiben olyan módosítás történik a terméken, amelyet előzetesen nem egyeztettek velünk, akkor a jelen nyilatkozat érvényét veszti.

IT Con la presente si dichiara che la macchina qui di seguito indicata, in base alla sua concezione, al tipo di costruzione e nella versione da noi introdotta sul mercato, è conforme ai requisiti fondamentali di sicurezza e di sanità delle direttive UE. In caso di modifica del prodotto senza la nostra autorizzazione, questa dichiarazione non sarà più valida.

LT Šiuo pareiškiame, kad toliau aprašyto aparato brėžiniai ir konstrukcija bei mūsų į rinką išleistas modelis atitinka pagrindinius ES direktyvų saugumo ir sveikatos apsaugos reikalavimus. Ši deklaracija netenka galios, jei gaminys pakeičiamas nesuderinus jo pakeitimų su mumis.

LV Ar šo mēs paziņojam, ka turpmāk minētā iekārta, pamatojoties uz tās konstrukciju un izgatavošanas veidu, kā arī mūsu apgrozībā laistajā izpildījumā atbilst ES direktīvu attiecīgajām galvenajām drošības un veselības aizsardzības prasībām. Ja tiek veikta ar mums nesaskaņota izstrādājuma izmainīšana, šī deklarācija nav derīga.

NL Hierbij verklaren wij dat de hierna vermelde machine door haar ontwerp en bouwwijze en in de door ons in de handel gebrachte uitvoering voldoet aan de betreffende fundamentele veiligheids- en gezondheidseisen, zoals vermeld in de desbetreffende EU-richtlijnen. In geval van een niet met ons overeengekomen wijziging van het product, verliest deze verklaring haar geldigheid.

NO Vi erklærer hermed at maskinen angitt nedenfor oppfyller de grunnleggende sikkerhetsog helsekravene i de relevante EU-direktivene, med hensyn til både design, konstruksjon og type markedsført av oss. Ved endringer av produkter som ikke er godkjent fra oss, bortfaller denne erklæringen.

PL Niniejszym oświadczamy, że określone poniżej urządzenie odpowiada pod względem koncepcji, konstrukcji oraz wprowadzonej przez nas do handlu wersji obowiązującym wymogom dyrektyw UE dotyczącym wymagań w zakresie bezpieczeństwa i zdrowia. W przypadku dokonania nieuzgodnionych z nami zmian w produkcie niniejsza deklaracja traci ważność.

PT Declaramos que a máquina a seguir designada corresponde às exigências de segurança e de saúde básicas estabelecidas nas Directivas UE por quanto concerne à sua concepção e ao tipo de construção assim como na versão lançada no mercado. Em caso de uma alteração do produto que não tenha sido autorizada por nós, esta declaração perde a sua validade.

RO Prin prezenta declarăm că aparatul desemnat mai jos corespunde cerinţelor fundamentale privind siguranţa în exploatare şi sănătatea incluse în directivele UE aplicabile, datorită conceptului şi a modului de construcţie pe care se bazează, în varianta comercializată de noi. La o modificare a produsului care nu a fost aprobată de noi în prealabil, această declaraţie îşi pierde valabilitatea.

RU Настоящим мы заявляем, что нижеуказанный прибор по своей концепции и конструкции, а также в осуществленном и допущенном нами к продаже исполнении отвечает соответствующим основным требованиям по безопасности и здоровью согласно директивам EU. В случае несогласованного с нами изменения изделия настоящее заявление становится недействительным.

SK Týmto vyhlasujeme, že ďalej označený stroj zodpovedá na základe jeho koncepcie a konštrukcie a takisto vyhotovenia, ktoré sme dodali, príslušným základným požiadavkám na bezpečnosť a ochranu zdravia uvedeným v smerniciach EÚ. V prípade zmeny výrobku, ktorá s nami nebola konzultovaná, stráca toto vyhlásenie svoju platnosť.

SL S to izjavo potrjujemo, da spodaj omenjeni stroj zaradi svoje zasnove in načina izdelave ustreza temeljnim varnostnim in zdravstvenim zahtevam EU-standardov. V primeru spremembe izdelka, ki ni bila potrjena z naše s strani, ta izjava ni več veljavna.

SV Härmed försäkrar vi att nedanstående betecknade maskin i ändamål och konstruktion samt i den av oss levererade versionen motsvarar EU-direktivens tillämpliga grundläggande säkerhets- och hälsokrav. Vid av oss ej godkända ändringar på produkten upphör denna förklaring att gälla.

TR İşbu belge ile aşağıda tanımlanan makinenin konsepti ve tasarımı ve tarafımızdan piyasaya sürülen modeliyle AB yönetmeliklerinin temel teşkil eden ilgili güvenlik ve sağlık yükümlülüklerine uygun olduğunu bildiririz. Üründe yapılan herhangi bir değişiklik bu beyanı geçersiz kılar.

YU Ovim izjavljujemo da ovde opisana mašina po svojoj koncepciji i načinu izrade, sa svim njenim modelima koje smo izneli na tržište, odgovara osnovnim zahtevima dole navedenih propisa Evropske Zajednice o sigurnosti i zdravstvenoj zaštiti. U slučaju izmena na proizvodu koje nisu dogovorene s nama, ova izjava ne važi.

Item description: **Vacuum cleaner for commercial use**
Model: **TASKI GO2 8/12**

Type: **TASKI GO2 8 | TASKI GO2 12**

Serial Number: **Refer to the rating label on the machine**
Trademark: **TASKI®**
Manufacturer: **Diversey Europe Operations B.V., De Corridor 4, 3621ZB Breukelen - The Netherlands**
Produced by: **Ningbo Lezhi Electronic Technology Co., Ltd., No.12, Zhenxing East Road, Qianjiao Town, Ninghai, Ningbo, China**

Applicable EU Directives / Regulations:
Directive 2006/42/EC | Directive 2014/30/EU | Regulation (EU) No 666/2013

Harmonised standards:
EN 60335-1:2012+A11:2014+A13:2017+A1:2019+A14:2019+A2:2019+A15:2021+A16:2023 / EN 60335-2-69:2012 / EN 62233:2008 / EN IEC 55014-1:2021 / EN IEC 55014-2:2021 / EN IEC 61000-3-2:2019+A1:2021+A2:2024 / EN 61000-3-3:2013+A1:2019+A2:2021 /

Authorized signatory:

Diversey
A BOLDNESS COMPANY
Diversey Europe Operations B.V.
De Corridor 4
3621ZB Breukelen - Netherlands

Andreas Bosch
Vice President, Global Innovation and Regulatory, TASKI Solutions
Münchwilen, 29.09.2025

Responsible for technical file:
Andreas Bosch
Vice President, Global Innovation and Regulatory, TASKI Solutions
Diversey Europe B.V. Utrecht
Zweigniederlassung Münchwilen
Eschlikonerstrasse 28
9542 Münchwilen - Switzerland

CE first applied: 09.2025

The signatories act on behalf of company management and with full power of attorney.

Contents

1 Preface 5

2 Purpose of the machine 6

3 Safety Instructions 6

4 Graphic symbols 7

5 Emergency 7

6 Description of the machine 8

7 Before using the machine 8

8 Use the machine 9

9 Clean the machine 10

10 Machine maintenance 10

11 Troubleshooting 12

12 Technical Data 12

13 Transportation and disposal 13

1 Preface

The operator safety manual



This manual is essential for understanding the rules to be followed to operate safely. Before reading it, personnel should undergo appropriate training in both preparation, installation of accessories, and use and maintenance of the machine.

The following are some important pointers:

- Please read the Safety section carefully! With its warnings and best practices, it provides all the information you need to operate safely!
- Pay attention to all the warnings in the manual.
- Pay attention to all the signs on the machine! They accurately indicate where there may be a danger!
- Only the procedures described in this manual are safe! Before any operation, read and follow the relevant sections in this manual.
- Keep this manual handy for quick reference.

Explanation of security messages

All circumstances where there are risks to personal and environmental safety and to the good condition of the machine have been highlighted in the manual with special symbols indicating the severity of the consequences and the likelihood of the risk occurring if appropriate preventive measures are not taken.

In addition to special symbols, safety messages include a description of the hazard, the consequences if preventive measures are not taken, and how to avoid the hazard.

The following is the list of message types:

⚠ DANGER Indicates an imminently hazardous situation that, if not avoided, will cause death or serious injury to the operator or others.

⚠ WARNING Indicates a potentially hazardous situation that, if not avoided, could cause death or serious injury to the operator or others.

⚠ CAUTION Indicates a potentially hazardous situation that, if not avoided, could cause minor or moderate injury to the operator or others.

SAFETY INSTRUCTIONS Indicate specific instructions or procedures related to safety.

NOTICE Indicates obligations that can cause damage to the machine if not complied with.

Operating instructions and additional documents

Note: *These operating instructions, and those for all TASKI machines, are available at: www.taski.com. It is possible to view or download these operating instructions by framing the QR code on the cover.*

Note: *The wiring diagram for this machine is available on the www.taski.com spare parts online catalogs. For more information, contact customer service or an authorized Diversey center.*


Note: *All spare parts and accessories are available on the www.taski.com spare parts online catalogs. For more information, contact customer service or an authorized Diversey center.*

Machine compliance


TASKI machines comply, in design and construction, with the relevant essential health and safety requirements of local directives and regulations and carry the certification mark.

Note: *The Declaration of Conformity for this machine is attached to this manual. It is also available at: www.taski.com*

Environmental protection



Machine packaging materials are recyclable. Do not dispose of packaging with household waste but deliver it to a separate waste collection center. Follow local regulations.



Used appliances contain valuable recyclable materials that must be delivered to a recycling collection center for recyclable waste to ensure their reuse. Batteries, oil and similar substances should not be dispersed into the environment.

2 Purpose of the machine

Intended use

This machine is intended for commercial use (such as in hotels, schools, hospitals, factories, shopping malls, offices, etc.) for dry cleaning of hard floor coverings or carpets indoors.

Unintended and incorrect use

Any use not intended by the manufacturer is considered as not in accordance with the intended use and, therefore, constitutes misuse. The manufacturer will be relieved of any liability in case of accidents; therefore, the user will be responsible for all risks resulting from such use.

The following is a non-exhaustive list of examples of uses and misbehaviors of this machine that endanger operator safety and could damage unsuitable surfaces:

- Polish, oil and wax surfaces.
- Wet clean surfaces.
- Vacuum liquids.

3 Safety Instructions

Training

⚠ DANGER Inadequate information and training. Accidents. The machine should be used only by trained and authorized persons with the appropriate level of experience. It should not be used by people with reduced physical, sensory or mental capabilities.

⚠ DANGER Inadequate information and training. Accidents. Repairs to mechanical or electrical parts of the machine should be carried out only by authorized personnel familiar with all relevant safety regulations.

Use of the machine

⚠ DANGER Misuse of the machine. Accidents. The machine should not be used by children and should not be considered a game.

⚠ DANGER Misuse of the machine. Personal and machine damage. This machine is not a means of transportation. Do not use the machine to transport objects and people.

⚠ DANGER Mains characteristics not compatible with the machine. Personal and machine damage. Check that the machine's electrical ratings match those of the mains to which the machine will be connected and that the socket conforms to the machine's plug.

⚠ CAUTION Incorrect environmental conditions. Accidents, machine and property damage. Use and store the machine only indoors.

⚠ NOTICE Incorrect environmental conditions. Machine damage. Use and store the machine in a dry, dust-free environment with temperature between +10 °C and +35 °C (+50 °F / +95 °F).

Note: *TASKI machines and equipment are designed so that, according to the current state of knowledge, health hazards due to noise or vibration can be excluded.*

Note: *TASKI machines are designed to achieve the best cleaning results with TASKI cleaning products. Other cleaning products may cause a malfunction or damage to the machine or the environment. For this reason, it is recommended to use only TASKI cleaning products.*

Work area

⚠ DANGER Explosive or flammable substances. Explosion or flames. Do not use the machine in environments where materials/products containing potentially explosive or flammable substances (e.g., gasoline, solvents, oil, dust, etc.) are stored or handled.

⚠ DANGER Hazardous substances. Health effects. Do not use the machine to vacuum toxic, harmful, corrosive or irritating substances (e.g., harmful dusts, etc.) or flammable liquids as the filter system is not capable of filtering such substances so as to isolate them from the operator.

⚠ DANGER Insufficient distance from high-voltage parts. Electrocution. In case of damage to safety parts that allow access to live parts (e.g., the motor), turn off the machine immediately.

⚠ WARNING Regulations violated. Accidents, injuries. Comply with national regulations on worker protection and accident prevention.

Care and maintenance

⚠ DANGER Unauthorized modifications. Compromised machine safety. Any changes not authorized by Diversey make the machine unsafe and will void CE compliance and all warranty and insurance rights.

⚠ DANGER Uncontrollable machine functionality. Accidents and machine damage. After failure, fault, collision, fall, exposure to water/moisture, and standing outdoors have authorized personnel perform a complete inspection of the machine.

⚠ DANGER Unexpected machine movements. Personal injury. Turn off the machine and unplug the main power cord from the power outlet.

Accessories and spare parts

⚠ WARNING Use of unauthorized accessories. Compromised machine safety. Use only those accessories indicated in the operating instructions or recommended by Diversey personnel.

⚠ WARNING Exceeding the power rating of the supplementary outlet. Compromised machine safety, fire and operator injury. Do not exceed the power rating listed on the outlet, if present.


Transportation and parking

⚠ DANGER Instability of the machine. Crushing, damage to property or machine. Only park or store the machine on a level surface.

⚠ CAUTION Wrong way to lift the machine. Machine damage. Lifting the machine by its power cord can damage it and put it out of service. Lift and transport the machine using only the lifting points indicated in this manual.

4 Graphic symbols

Explanation of symbols on the machine



Read the operating instructions.


Before performing any operation with the machine, please read the operating instructions carefully

5 Emergency


Warnings

⚠ WARNING Damaged safety components. Electrocution. If there is any damage to safety-critical components (such as brush guards, main power cords, or covers protecting live electrical parts), turn off the machine immediately.

In case of emergency, turn off the machine.




1. Turn off the machine.



2. Disconnect the main power cord from the power outlet.

6 Description of the machine

Below is a list of the main elements of the machine and its accessories:



1 Motor on/off switch
2 Pressure indicator:
   a. Green: normal pressure
   b. Red: irregular pressure in suction circuit (dust bag full or suction circuit clogged)
3 Dust bag housing and motor filter release/unlock
4 Dust bag housing
5 Handle
6 Cable reel
7 Motor air vent
8 Tool holder
9 Brush assembly
10 Extension hose
11 Elbow suction wand
12 Suction hose

7 Before using the machine

Overview of procedures

Before using the machine:

1. Remove the items from the surface.
2. Insert the dust bag.
3. Install the accessory.
4. Adjust the accessory.

Remove objects on the surface to be cleaned


NOTICE Vacuuming objects. Damage to the machine or clogs. Remove all objects on the surface to be cleaned.

Insert the dust bag

Note: *<To open the dust bag housing more easily, first remove the tool holder>*

To insert the dust bag:

1. Open the dust bag compartment.
2. Grasp the dust bag from the hard end and fit it onto the vacuum hose extension.




Install the accessory

⚠ CAUTION Worn brushes. Damage to machine and surfaces. Replace worn brushes. Use only original spare parts.

NOTICE Dirty brushes. Insufficient cleanliness. Replace dirty brushes with clean ones.

To install the accessory:


1. Insert the plastic end of the suction hose into the connection point on the machine.
2. Turn the suction hose to the right to lock it.
3. Connect the extension hose to the suction wand and then to the suction hose.
4. Connect the brush.
5. Insert the tool holder.



Adjust the accessory

To adjust the accessory:

1. Select the type of brush.
2. Open/close the suction wand ring.
    a. Open: reduce the suction pressure
    b. Closed: increase the suction pressure




8 Use the machine

Warnings

⚠ WARNING Inadequate protective equipment. Personal injury. Use the machine while wearing all the protective equipment determined by your employer in the risk analysis.

To start working with the machine:

1. Disconnect the main power cord from the power outlet.
2. Turn on the machine.
3. Remove the brush assembly from the tool holder and start cleaning.
4. Use the hose with or without the crevice tool as needed.



After use, store and park the machine

⚠ CAUTION Unauthorized use of the machine. Accidents. Turn off the machine and unplug the main power supply cord from the power outlet after use.

9 Clean the machine

NOTICE Unexpected machine operation. Machine and property damage. Turn off the machine and unplug the main power supply cord from the power outlet after use.

Cleaning

Clean the machine with a damp cloth.

NOTICE Incorrect machine washing. Damage to the machine's mechanical and electrical parts. Do not use running water or high-pressure water to clean the machine. Water can penetrate into the machine, causing damage.

10 Machine maintenance

Always perform maintenance operations at the prescribed intervals to keep the machine in good working condition. Failure to maintain reduces the machine's working life and causes interruptions in operation for repairs.

Warnings

⚠ WARNING Use of non-original spare parts. Compromised machine safety. Use only the replacement parts indicated in the operating instructions or recommended by Diversey personnel. Non-original replacement parts installed in the machine will drop all warranty claims. Diversey accepts no liability for harm resulting from using non-original spare parts.

Maintenance intervals

Note: *Shorter intervals are required in case of extraordinary stresses and/or insufficient maintenance.*


Activities	Reference	When to
Clean the machine with a damp cloth	"Clean the machine" above	Every day
Check the dust bag and replace it if necessary	"Check the dust bag" on the next page	Every day
Check the motor air filter (optional) and replace it if necessary	"Check the motor air filter and HEPA filter (optional)" on the next page	Every day
Check the HEPA filter (optional) and replace it if necessary	"Check the motor air filter and HEPA filter (optional)" on the next page	Every week

Customer Service

Contact the nearest Diversey authorized service center if there is a malfunction or for any other information. When calling, always communicate the model and serial number printed on the nameplate. The addresses of Diversey service centers are listed on the last page of this manual.

General operations


Remove the accessory.



To remove the tool:


1. Turn off the machine.
2. Turn the suction hose attachment to the left.
3. Remove the accessory.

Open and close the machine.



To open the machine:

1. Open the dust bag housing.
2. Lift the upper part of the machine.




To close the machine:

1. Set the upper part of the machine onto the lower part.
2. Close the dust bag housing latches.

Check the dust bag

Before checking the dust bag, remove the tool and open the dust bag housing. See "General operations" above




1. Check the dust bag. If full or damaged, replace it.

At the end of the operation, close the dust bag housing again. See "General operations" above

Check the motor air filter and HEPA filter (optional)


⚠ CAUTION High-pressure water. Damage to filter materials. Clean filters with running water. Do not use high-pressure cleaners or strong water jets.

Before checking the motor air filter, remove the accessory and open the dust bag housing. See "General operations" above



To check the filters:

1. Remove the filter guard.



2. Rotate the motor filter 180° and remove it. If dirty, wash with water or if damaged, replace it.
3. Rotate the HEPA filter 180° and remove it. If dirty, wash with water or if damaged, replace it.

At the end of the operation, close the dust bag housing again. See "General operations" on the previous page

11 Troubleshooting

Listed below are the most common problems, the possible cause, and how to resolve them. If the suggested solution does not solve the problem, contact an authorized Diversey service center.

Problem	Possible cause	What to do	Reference in the manual
The machine does not work	Machine off	Press the ON/OFF switch	"Use the machine" on page 9
	Electrical problem	Contact an authorized Diversey service center	
	Mechanical problem	Contact an authorized Diversey service center	
The machine switches off during operation	Reset the tripped temperature sensor	Contact an authorized Diversey service center	
	Full dust bag	Replace the dust bag	"Check the dust bag" on the previous page
Poor suction power (pressure indicator is *RED*)	Flexible hose or dust nozzle clogged (e.g., pieces of wood or cloth)	Remove foreign bodies	
	Full dust bag	Replace the dust bag	"Check the dust bag" on the previous page
	Motor air filter or HEPA filter damaged or dirty	Replace or wash the filters	"Check the motor air filter and HEPA filter (optional)" on the previous page
	Flexible hose not installed correctly	Check the hose	

12 Technical Data

Machine	GO2	Unit
Dimensions	423x395x376 (vers. 8l) 511x398x376 (vers. 12l)	mm
Mains power cable length	10	m
Rated voltage	220/240	V
Rated power	700	W
Suction power	18	kPa

Machine	GO2	Unit
Maximum air flow rate	32	L/sec
Weight (with cable, without hoses and brush)	5.4 / 6.0	kg
Dust bag housing capacity	12/22	l

Values determined as per IEC 60335-2-69


Machine	GO2	Unit
Sound pressure level, LpA	69.5	dB(A)
Sound pressure level, LpA	77.5	dB
Protection class	II	

13 Transportation and disposal


Transportation and parking

NOTICE Machine secured incorrectly. Machine tipping. Make sure the machine is secured and protected in the transport vehicle.

NOTICE Machine in incorrect position. Damage to machine parts. Transport the machine in an upright position.



1. Transport the machine using the handle.
2. Store the machine in an upright position.



Stow the cable:

1. On the cable reel
2. Under the handle

Disposal

Dispose of the machine and accessories according to national regulations.

Note: *Contact an authorized Diversey service center for more information*

AT

Diversey Austria Trading GmbH
Concorde Business Park 1/ D2/9
2320 Schwechat
Tel (43) 1 605 57 0

BE

Diversey Belgium BVBA
Haachtsesteenweg 672
1910 Kampenhout
Tel (32) 16 61 77 77

CH

Diversey Europe B.V., Utrecht
Zweigniederlassung Münchwilen
Eschlikonerstrasse
9542 Münchwilen
Tel (41) 71 969 27 27

CZ

Diversey Ceska republika, s.r.o
K Hájum 1233/2
155 00 Praha 5
Tel (420) 296 357 460

DE

Diversey Deutschland GmbH & Co. OHG
Mallaustrasse 50-56
68219 Mannheim
Tel (49) 0800 82 75 473

DK

Diversey Danmark ApS
Frydenlundsvej 30
2950 Vedbaek
Tel +45 70 10 66 11

ES

Diversey España S.L.
Avenida Conde Duque, Nave 5
28343 Valdemoro, Madrid
Tel (34) 902 01 11 06

FI

DiverseySuomi Oy
Lemminkäisenkatu 46
20520 Turku
Tel +358 20 747 42 30

FR

Diversey (France) S.A.S.
201 rue Carnot
94120 Fontenay-Sous-Bois
Tel +33 1 45 14 76 76

GB

Diversey Limited
Weston Favell Centre
NN3 8PD Northampton
Tel +44 800 52 55 25

GR

Diversey Hellas S.A.
1a Pierias St. & Mesologgiou
14451 Metamorfossi, Attica
Tel +30 21 0638 5900

HU

Diversey Kft.
Puskás Tivadar út 6
2040 Budaors
Tel +36 23 509 100

IT

Diversey S.P.A.
Strada Statale 235 Lodi-Crema,
26010 Bagnolo Cremasco (CR)
Tel +39 039 959 11 50

NL

Diversey Operations Europe B.V.
De Corridor 4
3621ZB Breukelen
Tel +31 (0) 30 247 68 85

NO

Solenis Norway AS
Postboks 2051 -
Vika 0125, Oslo
Tel +47 94 02 21 83

PL

Diversey Polska Sp. Z o.o.
Aleje Jerozolimskie 134
02-211 Warszawa
Tel +48 22 328 10 12

PT

Diversey Portugal-Sistemas de Higiene e Limpeza Unipessoal Lda
Rua Victor Câmara Edifício Q61 D. Amélia, 1° andar, Lado B Quinta da Fonte
2770-229 Paço de Arcos
Tel (351) 2 191 57 000

RO

Diversey Romania S.R.L.
Strada Banul Antonache 40 - 44 etajul 5,
Sector 1, Bucuresti, 011665
Tel 0800 8000 81

RU

LLC Diversey
Premises III, Floor 2
24 D, Smol´naya Str. - 125445 Moscow
Tel +7 (495) 970-1797

SE

Diversey Sverige AB
Liljeholmsvägen 18
117 61 Stockholm
Tel +46 (0)8 77 99 300

SK

Diversey Slovensko s.r.o
Rybničná 40
831 06 Bratislava
Tel +421 2 4445 4895

SL

Diversey d.o.o.
Trzaska cesta 37a
2000 Maribor
Tel +386 2 320 7000

TR

Diversey Türkiye
Bar. Mah. Ihlamur Bulvarı No:3/67
Ağaoğlu My NewWork K:7
Ataşehir/İstanbul - Türkiye
Tel +90 216 578 64 00

US

Diversey
415 Cascade Pointe Boulevard
Charlotte, NC
USA, 28277
Tel +1 980-221-3235

CA

Diversey
3755 Laird Road Mississauga, Ontario
CANADA L5L 0B3
Tel 1-800-827-5487

TASKI

Diversey Europe Operations B.V.
De Corridor 4
3621ZB Breukelen
Netherlands

GO2
Operating instructions / 12100-72 1525 | EN
© 2023 Diversey Europe Operations B.V.